

Multi-port Serial Card

PCI Express

		HUF
		nettó
VEX-112 CR	PCI Express, Serial Communication Board with 2 RS-232 ports (RoHS)	17934
VEX-112i CR	PCI Express, Serial Communication Board with 2 Isolated RS-232 ports (RoHS)	32452
VEX-142 CR	PCI Express Bus, Serial Communication Board with 2 RS-422/485 ports (RoHS)	25193
VEX-142i CR	PCI Express Bus, Serial Communication Board with 2 Isolated RS-422/485 ports (RoHS)	37576
VEX-114 CR	PCI Express, Serial Communication Board with 4 RS-232 ports (RoHS). Includes One CA-4002 Connector	27755
VEX-114/D2 CR	PCI Express, Serial Communication Board with 4 RS-232 ports (RoHS). Includes One CA-9-3715D Cable	32025
VEX-114i CR	PCI Express, Serial Communication Board with 4 Isolated RS-232 ports (RoHS). Includes One CA-4002 Connector	38003
VEX-114i/D2 CR	PCI Express, Serial Communication Board with 4 Isolated RS-232 ports (RoHS). Includes One CA-9-3715D Cable	42273
VEX-144 CR	PCI Express, Serial Communication Board with 4 RS-422/485 ports (RoHS). Includes One CA-4002 Connector	32879
VEX-144i CR	PCI Express, Serial Communication Board with 4 Isolated RS-422/485 ports (RoHS). Includes One CA-4002 Connector	48678

PCI BUS IO Board

VXC-112U CR	Universal PCI bus, 2-port RS-232 communication board.	15372
VXC-112AU CR	Universal PCI Bus, Serial Communication Board with 2 RS-232 ports (RoHS)	16653
VXC-112IAU CR	Universal PCI Bus, Serial Communication Board with 2 Isolated RS-232 ports (RoHS)	23912
VXC-114U CR	Universal PCI, 4-port RS-232 communication board.(RoHS)Includes one CA-4002 connector	25620
VXC-114U/D2 CR	Universal PCI, 4-port RS-232 communication board.(RoHS)Includes one CA-9-3715D cable.	31171
VXC-114IAU CR	Universal PCI, Serial Communication Board with 4 Isolated RS-232 ports (RoHS). Includes One CA-4002 Connector	41846
VXC-114IAU/D2 CR	Universal PCI, Serial Communication Board with 4 Isolated RS-232 ports (RoHS). Includes One CA-9-3715D Cable	47397
VXC-118U CR	Universal PCI, Serial Communication card with 8 RS-232 ports (RoHS)Includes one CA-PC62M D-Sub connector.	34160
VXC-118U/D2 CR	Universal PCI, Serial Communication card with 8 RS-232 ports (RoHS)Includes one CA-9-6210 cable.	45689
VXC-142AU CR	Universal PCI Bus, 2-port RS-422/485 Communication Board	20496
VXC-142IAU CR	Universal PCI Bus, Serial Communication Board with 2 Isolated RS-422/485 ports (RoHS)	35868
VXC-144U CR	Universal PCI, 4-port RS-422/485 communication board.(RoHS) Includes one CA-4002 connector	30744
VXC-144IU CR	Universal PCI, 4-port Isolated RS-422/485 communication board.(RoHS)Includes one CA-4002 connector	52094
VXC-148U CR	Universal PCI, Serial Communication card with 8 RS-422/485 ports (RoHS)Includes one CA-PC62M D-Sub connector.	36295
VXC-148U/D2 CR	Universal PCI, Serial Communication card with 8 RS-422/485 ports (RoHS)Includes one CA-9-6210 cable.	47824
CA-9-3715D	DB-37 Male(D-sub) to 4-Port DB-9 Male(D-sub) cable.1.5M Cable for VXC series(180°)	5978
VXC-182IAU CR	Universal PCI Bus, 1-port Isolated RS-422/485 and 1-port RS-232 Communication Board	28182

CAN Bus Communication Board Series

PCM-CAN100-D CR	1-Port Isolated Protection CAN Communication PCI-104 Module with 9-pin F/M D-sub connector (RoHS)	49532
PCM-CAN200-D CR	2-Port Isolated Protection CAN Communication PCI-104 Module with 9-pin D-sub connector (RoHS)	53802
PCM-CAN200P-D CR	2-Port Isolated Protection CAN Communication PC-104+ Module with 9-pin D-sub connector (RoHS)	55937
PEX-CAN200i-D CR	2-Port Isolated Protection CAN Communication Board with 9-pin D-sub connector (RoHS)	76860
PEX-CAN200i-T CR	2-Port Isolated Protection CAN Communication Board with 5-pin Screw Terminal Connector (RoHS)	76860
PCM-CM100-D	Intelligent CAN interface with one Isolated Protection CAN Communication Port and 9-Pin D-sub connector for PCI-104 bus systems	79849
PCM-CPM100-D-CR	1-Port Isolated Protection CAN Communication PCI-104 Module with 9-pin Male D-sub connector (RoHS)	100345
PISO-CAN100U-D CR	1-Port Isolated Protection Universal PCI CAN Communication Board with 9-pin D-sub connector (RoHS)	76860
PISO-CAN100U-T CR	1-Port Isolated Protection Universal PCI CAN Communication Board with 5-pin Screw Terminal Connector (RoHS)	76860
PISO-CAN200U-D CR	2-Port Isolated Protection Universal PCI CAN Card with 9-Pin D-Sub Connector	81130
PISO-CAN200U-T CR	2-Port Isolated Protection Universal PCI CAN Card with 5-Pin Screw Terminal Connec	81130
PISO-CAN400U-D CR	4-Port Isolated Protection Universal PCI CAN Card with 9-Pin D-Sub Connector	102480
PISO-CAN400U-T CR	4-Port Isolated Protection Universal PCI CAN Card with 5-Pin Screw Terminal Connector	102480
PISO-CAN800U-D CR	8-Port Isolated Protection Universal PCI CAN Communication Board (RoHS)Includes One CA-4037W and Two CA-4002 Connectors	125965

PISO-CM100U-D CR	Intelligent CAN interface with one Isolated Protection CAN Communication Port and 9-Pin D-sub connector for Universal PCI bus systems.	76860
PISO-CM100U-T CR	Intelligent CAN interface with one Isolated Protection CAN Communication Port and 5-Pin Screw Terminal Connector for Universal PCI bus systems.	76860
PISO-DNM100U-D CR	DeviceNet firmware built-in and one standalone intelligence CAN communication port with D-Sub 9-pin connector for universal PCI bus system.	98210
PISO-DNM100U-T CR	DeviceNet firmware built-in and One standalone intelligence CAN communication port with 5-pin screw terminal connector for universal PCI bus system.	98210
PISO-DNS100U-D CR	1 Port Intelligent DeviceNet Multi-Slave Board with 9-pin D-sub connector	76860
PISO-DNS100U-T CR	1 Port Intelligent DeviceNet Multi-Slave Board with 5-pin Screw Terminal Connector	76860
PISO-CPM100U-D CR	1 Port Intelligent CANopen Master Universal PCI Board for D-sub 9-pin male connector	98210
PISO-CPM100U-T CR	1 Port Intelligent CANopen Master Universal PCI Board for 5-pin screw terminal connector.	98210

Express I/o Boards

PCI Express non-Isolated Digital I/O Board

PEX-D24 CR	PCI Express, 24-channel DIO board (RoHS)	25620
PEX-D48 CR	PCI Express , 48-channel DIO board (RoHS)	44835
PEX-D56 CR	PCI Express, 56-channel DIO board (RoHS)	33733
PEX-D96S CR	PCI Express, 96-channel DIO board (SCSI II Connector, RoHS)	40138

PCI Express Analog Output Board

PEX-DA4 CR	PCI Express, 4-channel D/A board (RoHS)Includes one CA-4002 D-Sub connector.	83265
PEX-DA8 CR	PCI Express, 8-channel D/A board (RoHS)Includes one CA-4002 D-Sub connector.	106750
PEX-DA16 CR	PCI Express, 16-channel D/A board (RoHS)Includes one CA-4002 D-Sub connector.	145180

PCI Express Multifunction Board

PEX-1202H CR	32-ch, 12-bit, 44 kS/s High Gain Multi-function DAQ Board (1 K word FIFO) (RoHS)Includes one CA-4002 D-Sub connector.	115717
PEX-1202L CR	32-ch, 12-bit, 44 kS/s Low Gain Multi-function DAQ Board (1 K word FIFO) (RoHS)Includes one CA-4002 D-Sub connector.	115717
PEX-1002H CR	PCI Express, 32-ch, 12-bit, 44 kS/s High Gain Multi-function DAQ Board (RoHS) Includes one CA-4002 D-Sub connector.	78995
PEX-1002L CR	PCI Express, 32-ch, 12-bit, 110 kS/s Low Gain Multi-function DAQ Board (RoHS) Includes one CA-4002 D-Sub connector.	78995

PCI Express Isolated Digital I/O Board

PEX-P16R16i CR	PCI Express X 1, 16-channel Isolated Digital Input, 16-channel Relay Output Includes one CA-4037W cable and two CA-4002 D-Sub connectors	59780
PEX-P8R8i CR	PCI Express x1, 8-channel Isolated Digital Input, 8-channel Relay Output Includes one CA-4002 D-Sub connector.	53375
PEX-P16POR16i CR	PCI Express x1, 16-channel isolated digital input.16-channel PhotoMos Relay output (RoHS) Includes one CA-4037W cable and two CA-4002 D-Sub connectors.	64050
PEX-P8POR8i CR	PCI Express x1, 8-channel isolated digital input.8-channel PhotoMos Relay output (RoHS) Includes one CA-4002 D-Sub connector.	57645
PEX-C64 CR	PCI Express, 64-channel Optically Isolated Open-collector Digital Output Board (Current Sinking) (RoHS)Includes one CA-4037B cable and two CA-4002 D-Sub connectors.	63623
PEX-P64 CR	PCI Express, 64-channel Optically Isolated Digital Input Board. (RoHS)Includes one CA-4037B cable and two CA-4002 D-Sub connectors.	63623
PEX-P64-24V CR	PCI Express, 64-channel Optically Isolated Digital Input Board. (RoHS)Includes one CA-4037B cable and two CA-4002 D-Sub connectors.	63623
PEX-P32C32 CR	PCI Express, 32-channel Optically Isolated Digital Input and 32-channel Optically Isolated Digital Open-collector output Board.(Current Sinking) (RoHS)Includes one CA-4037B cable and two CA-4002 D-Sub connectors.	59353
PEX-730 CR	PCI Express, 32-channel isolated digital I/O & 32-channel TTL digital I/O board. (current sinking) (RoHS) Includes one CA-4002 D-Sub connector.	53802

PCI BUS Memory Board

PCI-M512 CR	PCI bus 24-bit Memory board	45689
PCI-M512U CR	Universal PCI, 512K bytes memory board with DI/O	46970

PCI BUS Multifunction Board

PCI-1802HU CR	32-ch, 12-bit, 40 kS/s High Gain Multi-function DAQ Board (8 K word FIFO) (RoHs) Includes one CA-4002 D-Sub connector.	183610
PCI-1802HU/S CR	PCI-1802HU CR with DB-1825 daughter board, Cable Includes one CA-3710 D-Sub cable.	196420
PCI-1802LU CR	32-ch, 12-bit, 330 kS/s Low Gain Multi-function DAQ Board (8 K word FIFO) (RoHs) Includes one CA-4002 D-Sub connector	183610
PCI-1802LU/S CR	PCI-1802LU CR with DB-1825 daughter board , Cable Includes one CA-3710 D-Sub cable.	196420
PCI-1800HU CR	Universal PCI, 16-ch, 12-bit, 44 kS/s High Gain Multi-function DAQ Board (1 K word FIFO) (RoHs) Includes one CA-4002 D-Sub connector	149450
PCI-1800HU/S CR	PCI-1800HU CR with DB-8225 daughter board, Includes one CA-3710 D-Sub cable	162260
PCI-1800LU CR	Universal PCI, 16-ch, 12-bit, 330 kS/s Low Gain Multi-function DAQ Board (1 K word FIFO) (RoHs)Includes one CA-4002 D-Sub connector	149450
PCI-1800LU/S CR	PCI-1800LU CR with DB-8225 daughter board,Includes one CA-3710 D-Sub cable	162260
PCI-1202HU CR	32-ch, 12-bit, 40KS/s High Gain Multi-function DAQ Board (1K word FIFO)	107604
PCI-1202HU/S CR	PCI-1202H with DB-1825 daughter board , Cable	120414
PCI-1202LU CR	32-ch, 12-bit, 110KS/s Low Gain Multi-function DAQ Board (1K word FIFO)	107604

PCI-1202LU/S CR	PCI-1202L with DB-1825 daughter board ,cable	115290
PCI-1002HU CR	Universal PCI, 32-ch, 12-bit, 44KS/s High Gain Multi-function DAQ Board (RoHS) Includes one CA-4002 D-Sub connector	72590
PCI-1002HU/S CR	Universal PCI, PCI-1002HU with DB-1825 daughter board , Cable (RoHS) Includes one CA-3710 D-Sub cable.	85400
PCI-1002LU CR	Universal PCI, 32-ch, 12-bit, 110KS/s Low Gain Multi-function DAQ Board (RoHS) Includes one CA-4002 D-Sub connector.	72590
PCI-1002LU/S CR	Universal PCI, 32-ch, 12-bit, 110KS/s Low Gain Multi-function DAQ Board (RoHS) Includes one CA-3710 D-Sub cable	85400
PCI-1602FU CR	Universal PCI, 32ch, 16-bit, 200 kS/s Low Gain Multi-function DAQ Board (8 K word FIFO) Includes one CA-4002 D-Sub connector	211365
PCI-1602FU/S CR	PCI-1602FU with DB-1825 daughter board, Cable Includes one CA-3710 D-Sub cable	224175
PCI-1602U CR	Universal PCI,100ks/s, low gain 16-bit ,32 channel analog input , 2 channel D/A ,digital i/o board (8k word FIFO)	194285
PCI-1602U/S CR	PCI-1602U with DB-1825 daughter board, Cable Includes one CA-3710 D-Sub cable	207095
PCI-2602U CR	Universal PCI, 1 MS/s High-Speed, 16-channel Analog Input, 2-channel Analog Output and 32-channel DIO (RoHS)	153720
PCI-822LU CR	Universal PCI, 250 kS/s, 32/16-ch 12-bit Analog Input, 2-ch 16-bit Analog Output and 32-ch Programmable DIO.(RoHS) Includes one CA-4002 D-Sub connector	96075
PCI-826LU CR	Universal PCI, 250 kS/s, 32/16-ch 16-bit Analog Input, 2-ch 16-bit Analog Output and 32-ch Programmable DIO. (RoHS) Includes one CA-4002 D-Sub connector	106750
PIO-821HU CR	Universal PCI, 45 kS/s High gain 12-bit,16-channel input, 1-channel D/A, Digital I/O board. (RoHS)	59780
PIO-821LU CR	Universal PCI, 45 kS/s Low gain 12-bit,16-channel input, 1-channel D/A, Digital I/O board. (RoHS)	57645
PIO-821H CR	45KS/s High gain 12-bit,16-channel input, 1-channel D/A, Digital I/O board (without FIFO)	57645
PIO-821L CR	45KS/s Low gain 12-bit,16-channel input, 1-channel D/A, Digital I/O board (without FIFO)	53375
PIO-821H/S CR	PIO-821H + Daughter Board DB-8225	70455
PIO-821L/S CR	PIO-821L + Daughter Board DB-8225	66185

PCI BUS A/D, D/A Board

PIO-DA16U CR	Universal PCI 16-channel D/A board Includes one CA-4002 D-Sub connector	122976
PIO-DA16U/S CR	PIO-DA16U with DN-37 Includes one CA-3710 D-Sub cable.	133651
PIO-DA8U CR	Universal PCI 8-channel D/A board Includes one CA-4002 D-Sub connector	106750
PIO-DA8U/S CR	PIO-DA8U with DN-37 (RoHS) Includes one CA-3710 D-Sub cable.	119560
PIO-DA4U CR	Universal PCI 4-channel D/A board Includes one CA-4002 D-Sub connector	78995
PIO-DA4U/S CR	PIO-DA4U with DN-37 (RoHS) Includes one CA-3710 D-Sub cable.	91805
PISO-DA16U CR	Universal PCI 16-channel isolated D/A board (RoHS) Includes one CA-4002 D-Sub connector.	137921
PISO-DA16U/S CR	PISO-DA16U with DN-37 (RoHS) Includes one CA-3710 D-Sub cable.	150731
PISO-DA8U CR	Universal PCI 8-channel isolated D/A board (RoHS) Includes one CA-4002 D-Sub connector.	111020
PISO-DA8U/S CR	PISO-DA8U with DN-37 (RoHS) Includes one CA-3710 D-Sub cable.	123830
PISO-DA4U CR	Universal PCI 4-channel isolated D/A board (RoHS) Includes one CA-4002 D-Sub connector.	85400
PISO-DA4U/S CR	PISO-DA4U with DN-37 (RoHS) Includes one CA-3710 D-Sub cable.	98210
PISO-813 CR	Isolated 32-channel A/D board	70455
PISO-813/S CR	PISO-813 with daughter board DB-8325	81130
PISO-813U CR	Universal PCI, 32-channel isolated analog input board. (RoHS)Includes one CA-4002 D-Sub connector.	72590
PISO-813U/S CR	Universal PCI, 32-channel isolated analog input board. (RoHS)Includes one DB-8325 screw terminal board.	83265
PISO-DA2U CR	Universal PCI, Isolated 12-bits analog output board Includes two CA-PC09M D-Sub connectors	66185
PISO-DA2U/S CR	PISO-DA2U with DB-8425 daughter board	73871

PCI BUS Digital I/O Board

PIO-D168U CR	Universal PCI, 168-channel OPTO-22 DIO board (RoHS)	51240
PIO-D144U CR	Universal PCI, 144-channel OPTO-22 DIO board (RoHS)	51667
PIO-D144LU CR	Universal PCI, 144-channel OPTO-22 DIO board with Pull high / low (RoHS)	51667
PIO-D96U CR	Universal PCI, 96-channel DIO board (RoHS)	38430
PIO-D96SU CR	Universal PCI, 96-channel DIO board (RoHS)	42700
PIO-D64U CR	Universal PCI bus,64-channel digital I/O with timer, counter	42273
PCI-D64HU CR	40 MB/s High-speed 32-CH DI and 32-CH DO Universal PCI DIO Card (RoHS) One CA-4037W cable and two CA-4002 D-Sub connectors includes	50813
PIO-D56U CR	Universal PCI bus, 56-channel DIO board (RoHS)	28182
PIO-D48U CR	Universal PCI bus,48-channel digital I/O with timer ,counter	38430
PIO-D48SU CR	Universal PCI, 48-channel DIO board (RoHS)	41846
PIO-D24U CR	Universal PCI bus, 24-channel DIO board (RoHS)	20496
PCI-TMC12A CR	12- channel 16 bit timer/counter ,16 digital input / 16 digital output, 4 interrupt source,	70455
PCI-P16R16 CR	16- channel isolated digital input, 16- channel relay output	55510
PISO-P16R16U CR	Universal PCI 16- channel isolated digital input, 16- channel relay output	55510
PCI-P8R8	8- channel isolated digital input, 8- channel relay output	37149

PCI-P8R8 CR	8- channel isolated digital input, 8- channel relay output	40864
PCI-P16C16 CR	16- channel isolated digital input, 16- channel open collector output	49105
PCI-P16POR16 CR	16-channel isolated digital input, 16 –channel photo mos relay	59780
PISO-P8R8 CR	8- channel isolated digital input, 8- channel relay output	40864
PISO-P8R8U CR	Universal PCI, 8-channel Relay Output with isolated digital input Board (RoHS) Includes one CA-4002 D-Sub connector.	42273
PISO-P8SSR8AC	8- channel isolated digital input, 8- channel AC SSR output	64477
PISO-P8SSR8AC CR	8- channel isolated digital input, 8- channel AC SSR output	66612
PISO-P8SSR8DC	8- channel isolated digital input, 8- channel DC SSR output	63196
PISO-P8SSR8DC CR	8- channel isolated digital input, 8- channel DC SSR output	64477
PISO-P32A32U CR	Universal PCI, 32-ch Optical-Isolated Digital Input and 32-ch Optical-Isolated Open Collector Output Board (Source, PNP) (RoHS)Includes one CA-4037B cable and two CA-4002 D-Sub connectors.	61915
PISO-P32C32U CR	Universal PCI,32-Channel Optically Isolated Digital Input and 32-Channel Optically Isolated Digital Open-collector output Board (Current Sinking)	57218
PISO-P32C32U-5V CR	Universal PCI, 32-channel Optically Isolated Digital Input (Logic High: 5~12 V) and 32-channel Optically Isolated Digital Open-collector output Board. (Current Sinking) (RoHS) Includes one CA-4037B cable and two CA-4002 D-Sub connectors.	57218
PISO-P32S32WU CR	Universal PCI, 32-CH Optical-Isolated DI and 32-CH Optical-Isolated Open-Collector Output Board	58499
PISO-1730U CR	Universal PCI, 32-channel Optically Isolated Digital Input and 32-channel Optically Isolated Digital Open-collector output Board.(Current Sinking) (RoHS)	45689
PISO-A64	64-Channel Optically Isolated Open-Collector Digital Output Board (Current Sourcing)	52521
PISO-C64 CR	64-Channel Optically Isolated Open-collector Digital Output Board (Current Sinking)	55510
PISO-C64U CR	Universal PCI, 64-channel Optically Isolated Open-collector Digital Output Board (Current Sinking) (RoHS) Includes one CA-4037B cable and two CA-4002 D-Sub connectors	57645
PISO-P64 CR	64-Channel Optically Isolated Digital Input Board	55425
PISO-P64U CR	Universal PCI, 64-channel Optically Isolated Open-collector Digital Input Board (Current Sinking) (RoHS) Includes one CA-4037B cable and two CA-4002 D-Sub connectors	57645
PISO-P64U-24V CR	Universal PCI, 64-channel Optically Isolated Digital Input Board. (RoHS) Includes one CA-4037B cable and two CA-4002 D-Sub connectors.	59780
PISO-725 CR	8-channel Relay Output & 8-channel Isolated Digital Input Board Includes one CA-4002 D-Sub connector	40565
PISO-730 CR	32-Channel TTL-level digital I/O ,16-Channel Optically Isolated Digital Input and 16 Open-Collector Digital Output Board (Current Sinking)	49319
PISO-730A CR	32-Channel TTL-level digital I/O ,16-Channel Optically Isolated Digital Input and 16 Open-Collector Digital Output Board (Current Sourcing)	49532
PISO-730U CR	Universal PCI, 32-channel Isolated Digital I/O and 32-channel TTL-level Digital I/O(Current Sinking, PNP type)	50813
ISA-Bus Isolated Data Acquisition Board		
ISO-AD32H	12 bit 200KS/s sampling rate , 32 Channel Isolated Analog Input Board (High Gain)	111020
ISO-AD32L	12 bit 200KS/s sampling rate , 32 Channel Isolated Analog Input Board (Low Gain)	111020
ISO-AD32H/S	ISO-AD32H with DN-37	123830
ISO-AD32L/S	ISO-AD32L with DN-37	123830
ISO-DA8 CR	14 bit 8 Channel Isolated Analog Output Board	134505
ISO-DA8/S CR	ISO-DA8 with DN-37	147315
ISO-DA16	14 bit 16 Channel Isolated Analog Output Board	166530
ISO-DA16 CR	14 bit 16 Channel Isolated Analog Output Board	172935
ISO-DA16/S CR	ISO-DA16 with DN-37	185745
ISO-813 CR	32 Channel isolated singled-ended analog input Board	59780
ISO-813/S CR	ISO-813 with DB-8325 daughter board	70455
ISO-P32C32 CR	32-channel Optically Isolated Digital Input and 32-channel Optically Isolated Open-collector Output	46970
ISO-P32S32W CR	ISA Bus, 32-CH Optical-Isolated DI and 32-CH Optical-Isolated Open-Collector Output Board (8-Channel for 500mA and 24-Channel for 100mA Current Sinking Output, NPN, RoHS)	47824
ISO-P64 CR	64 isolated digital input	49105
ISO-C64 CR	64 isolated open- collector output	49105
ISO-730 CR	16 isolated digital input and 16 isolated digital output	36295
P8R8DIO CR	Isolated 8 Digital Input & 8 Relay Output Board	19215
P16R16DIO CR	Isolated 16 Digital Input & 16 Relay Output Board	37576

ISA-Bus Multi-Function Boards

A-826PG CR	16 Bit Multifunction Board with 100KS/s sampling rate, 16 Channel Analog Input, 2 Channel / 12 bit Analog Output, 16 Digital Input, 16 Digital Output ; Gain 1,2,4,8	106750
A-826PG/S CR	A-826PG + Daughter Board DB-8225	119560
A-823PGH CR	12 Bit Multifunction Board with 125KS/s sampling rate, 16 Channel Analog Input, 2 Channel Bipolar Analog Output, 16 Digital Input, 16 Digital Output (High Gain)	87535
A-823PGL CR	12 Bit Multifunction Board with 125KS/s sampling rate, 16 Channel Analog Input, 2 Channel Bipolar Analog Output, 16 Digital Input, 16 Digital Output (Low Gain)	85400
A-823PGH/S CR	A-823PGH + Daughter Board DB-8225	100345

A-823PGL/S CR	A-823PGL + Daughter Board DB-8225	98210
A-822PGH	12 Bit Multifunction Board with 125KS/s sampling rate, 16 Channel Analog Input, 2 Channel Unipolar Analog Output, 16 Digital Input, 16 Digital Output (High Gain)	78995
A-822PGH CR	12 Bit Multifunction Board with 125KS/s sampling rate, 16 Channel Analog Input, 2 Channel Unipolar Analog Output, 16 Digital Input, 16 Digital Output (High Gain)	83265
A-822PGL	12 Bit Multifunction Board with 125KS/s sampling rate, 16 Channel Analog Input, 2 Channel Unipolar Analog Output, 16 Digital Input, 16 Digital Output (Low Gain)	76860
A-822PGL CR	12 Bit Multifunction Board with 125KS/s sampling rate, 16 Channel Analog Input, 2 Channel Unipolar Analog Output, 16 Digital Input, 16 Digital Output (Low Gain)	81130
A-822PGH/S	A-822PGH + Daughter Board DB-8225	87535
A-822PGL/S	A-822PGL + Daughter Board DB-8225	85400
A-822PGH/S CR	A-822PGH + Daughter Board DB-8225	96075
A-822PGL/S CR	A-822PGL + Daughter Board DB-8225	93940
A-821PGH	12 Bit Multifunction Board with 45KS/s sampling rate, 16 Channel Analog Input, 1 Channel Analog Output , 16 Digital Input, 16 Digital Output (High gain)	47824
A-821PGL	12 Bit Multifunction Board with 45KS/s sampling rate, 16 Channel Analog Input, 1 Channel Analog Output , 16 Digital Input, 16 Digital Output (Low gain)	46970
A-821PGH/S	A-821PGH + Daughter Board DB-8225	60634
A-821PGL/S	A-821PGL + Daughter Board DB-8225	59780
A-8111	12 Bit Multifunction Board with 30KS/s sampling rate, 8 Channel Analog Input, 1 Channel Analog Output, 16 Digital Input, 16 Digital Output	40565
A-812PG CR	12 Bit Multifunction Board with 70KS/s sampling rate, 16 Channel Analog Input, 2 Channel unipolar Analog Output, 16 Digital Input, 16 Digital Output	57645

ISA-Bus Data Acquisition Boards

A-726 CR	6-channel 12-bit Analog Output and Digital I/O Board (RoHS)	61915
A-626 CR	6 Channel Analog Output Board	61915
A-626/S CR	A-626 + DB-37	70455
A-628	8 Channel Analog Output Board	78995
A-628/S	A-628 + DB-37	87535
DIO-24 CR	24 BIT OPTO-22 Digital I/O Board	14091
DIO-48 CR	48 BIT OPTO-22 Digital I/O Board	25834
DIO-64/3 CR	32 BIT Digital Input, 32 BIT Digital Output, 3 Timer /counter	20923
DIO-64/6 CR	32 BIT Digital Input, 32 BIT Digital Output, 6 Timer /counter	22204
DIO-96 CR	96 BIT OPTO-22 Digital I/O Board	29036
DIO-144 CR	144 BIT OPTO-22 Digital I/O Board	32879
TMC-10 CR	10 Channel Timer/Counter Board	33306

Daughter Board

ADP-20 CR	20-pin extender Include :CA-2002(20-pin Flat Cable 0.2m)	5551
ADP-20/PCI	20-pin extender(PCI Bus) Include :CA-2002(20-pin Flat Cable 0.2m)	5124
ADP-37 CR	50-pin opto-22 port to DB-37 adapter Include :CA-5002(50-pin Flat Cable 0.2m)	5551
ADP-37/PCI CR	50-pin opto-22 port to DB-37 adapter(PCI Bus) Include :CA-5002(50-pin Flat Cable 0.2m)	5551
ADP-50	50-pin extender Include :CA-5002(50-pin Flat Cable 0.2m)	4697
ADP-50/PCI CR	50-pin extender(PCI Bus) Include :CA-5002(50-pin Flat Cable 0.2m)RoHS	5124
DB-1825 CR	Daughter Board for PCI-1802 with 1 meter D-Sub 37-pin cable Include :CA-3710(37-pin D-sub Cable 1.0m)	15372
DB-1825/DIN CR	DB-1825 with DIN-Rail Mounting Kit	17080
DB-1825/2 CR	Daughter Board for PCI-1802 with 2 meter D-Sub 37-pin cable Include :CA-3720(37-pin D-sub Cable 2.0m) RoHS	16226
DB-1825/2/DIN CR	DB-1825/2 with DIN-Rail Mounting Kit RoHS	17934
DB-8025 CR	Screw Terminal Board with two 20-pin flat-cable Include :CA-2010 x 2(20-pin Flat Cable 1.0m)	9821
DB-8125 CR	Screw Terminal Board with two 20-pin flat-cable Include :CA-3710(37-pin D-sub Cable 1.0m)	10248
DB-8225	Daughter Board for A-82X series, PCI-1800 with 1 meter D-Sub 37-pin cable Include :CA-3710(37-pin D-sub Cable 1.0m)	14518
DB-8225/DIN	DB-8225 with DIN-Rail Mounting Kit	16226
DB-8225/2	Daughter Board for A-82X series, PCI-1800 with 2 meter D-Sub 37-pin cable Include :CA-3720(37-pin D-sub Cable 2.0m)	15372
DB-8225/2/DIN	DB-8225/2 with DIN-Rail Mounting Kit	17080
DB-8325 CR	Screw Terminal Board with 1 meter D-Sub 37-pin cable Include :CA-3710(37-pin D-sub Cable 1.0m)	12383
DB-8325/2 CR	Screw Terminal Board with 2 meter D-Sub 37-pin cable Include :CA-3720(37-pin D-sub Cable 2.0m)	13237
DB-8425	Screw terminal Board for PISO-DA2 with two 1.5 meter D-Sub 9-pin cables Include :CA-0920(9-pin D-sub Cable 2.0m)	8540
DB-8425/DIN	DB-8425 with DIN-Rail Mounting Kit	10248
DB-32R CR	32-channel Relay Output Board RoHS	45689
DB-37 CR	direct connect 37-pin termination board	10333

DB-16P CR	16 Channel Bi-direction Isolated Input Board Include : CA-2010 (20-pin Flat Cable 1m)	18318
DB-16R CR	16 Channel Relay Output Board Include : CA-2010 (20-pin Flat Cable 1m)	26773
DB-16P8R CR	16-channel Opto-isolated digital input & 8-channel Relay output Include : CA-5015 (50-pin Flat Cable 1.5m)	33733
DB-16P8R/DIN CR	DB-16P8R with DIN-Rail Mounting Kit	35441
DB-16P8R/D CR	16 Channel Isolated Input & 8-channel relay output Board with 1M D-sub 37pin Cable Include : CA-3710 (37-pin D-sub Cable 1m)	33733
DB-16P8R/D/DIN CR	DB-16P8R/D with DIN-Rail Mounting	35441
DB-16P16R CR	16-channel Input Terminal and 16-channel Relay Output Board	39284
DB-16P16R/DIN CR	16-channel Input Terminal and 16-channel Relay Output Board	40565
DB-24R/12 CR	24 Channel OPTO-22 Compatible Relay Board with 1.5 meter 50-pin flat-cable (12V) Include : CA-5015 (50-pin Flat Cable 1.5m)	46970
DB-24R/24 CR	24 Channel OPTO-22 Compatible Relay Board with 1.5 meter 50-pin flat-cable (24V) Include : CA-5015 (50-pin Flat Cable 1.5m)	46970
DB-24RD/12 CR	24 Channel OPTO-22 Compatible Relay Board with D-Sub37 connector (12V) Include : CA-3710 (37-pin D-sub Cable 1m)	44835
DB-24RD/24 CR	24 Channel OPTO-22 Compatible Relay Board with D-Sub37 connector (24V) Include : CA-3710 (37-pin D-sub Cable 1m) RoHS	49105
DB-24R/12/DIN CR	DB-24R/12 with DIN-Rail mounting kit	48678
DB-24R/24/DIN CR	DB-24R/24 with DIN-Rail Mounting kit	48678
DB-24RD/12/DIN CR	DB-24RD/12 with DIN-Rail mounting kit	46543
DB-24RD/24/DIN CR	DB-24RD/24 with DIN-Rail Mounting Kit	50813
DB-24PR/12 CR	24 Channel OPTO-22 Compatible Power Relay Board with 1.5 meter 50-pin flat-cable (12V) Include : CA-5015 (50-pin Flat Cable 1.5m) RoHS	55510
DB-24PR/24 CR	24 Channel OPTO-22 Compatible Power Relay Board with 1.5 meter 50-pin flat-cable (24V) Include : CA-5015 (50-pin Flat Cable 1.5m)	55510
DB-24PRD/12 CR	24 Channel OPTO-22 Compatible Power Relay Board (12V) with D-Sub 37 connector Include : CA-3710 (37-pin D-sub Cable 1m) RoHS	57218
DB-24PRD/24 CR	24 Channel OPTO-22 Compatible Power Relay Board (24V) with D-Sub 37 connector Include : CA-3710 (37-pin D-sub Cable 1m) RoHS	57218
DB-24PR/12/DIN CR	DB-24PR/12 with DIN-Rail mounting kit RoHS	57218
DB-24PR/24/DIN CR	DB-24PR/24 with DIN-Rail Mounting kit	57218
DB-24PRD/12/DIN CR	DB-24PRD/12 with DIN-Rail Mounting Kit RoHS	58926
DB-24PRD/24/DIN CR	DB-24PRD/24V with DIN-Rail Mounting Kit RoHS	58926
DB-24P CR	24 Channel OPTO-22 Compatible Opto-Isolated Input Board Include : CA-5015 (50-pin Flat Cable 1.5m)	27243
DB-24PD CR	24 Channel OPTO-22 Compatible Opto-Isolated Input Board with D-Sub 37 connector Include : CA-3710 (37-pin D-sub Cable 1.5m)	27243
DB-24P/DIN CR	DB-24P with DIN-Rail Mounting Kit	29121
DB-24PD/DIN CR	DB-24PD with DIN-Rail Mounting Kit	29121
DB-24POR	24-channel photo MOS Relay Output Board with 1.5 meter 50-pin flat-cable Include : CA-5015 (50-pin Flat Cable 1.5m)	41846
DB-24POR/D	24-channel photo MOS Relay Output Board with 1 meter D-Sub 37-pin cable Include : CA-3710 (37-pin D-sub Cable 1m)	41846
DB-24POR/DIN	DB-24POR with DIN-Rail Mounting Kit	43554
DB-24POR/D/DIN	DB-24POR/D with DIN-Rail Mounting Kit	43554
DB-24OD	24-channel Open-drain Output Board Include : CA-3710 (37-pin D-sub Cable 1m)	38430
DB-24OD/DIN	DB-24OD with DIN-Rail Mounting	40138
DB-24C	24-channel open-collector output board with 1.5 meter 50-pin flat-cable Include : CA-5015 (50-pin Flat Cable 1.5m)	35441
DB-24C CR	24-channel open-collector output board with 1.5 meter 50-pin flat-cable Include : CA-5015 (50-pin Flat Cable 1.5m)	36295
DB-24C/D	24-channel open-collector output board with 1 meter 37-pin D-Sub cable Include : CA-3710 (37-pin D-sub Cable 1m)	36295
DB-24C/DIN	DB-24C with DIN-Rail Mounting Kit	37149
DB-24C/DIN CR	DB-24C with DIN-Rail Mounting Kit	38003
DB-24C/D/DIN	DB-24C/D with DIN-Rail Mounting Kit	38003
DB-24SSR	24-channel Solid State Relay Output Board with 1.5 meter 50-pin flat-cable Include : CA-5015 (50-pin Flat Cable 1.5m)	96075
DB-24SSR/D	24-channel Solid State Relay Output Board with 1 meter D-Sub 37-pin cable Include : CA-3710 (37-pin D-sub Cable 1m)	96075
DB-24SSR/DIN	DB-24SSR with DIN-Rail Mounting Kit	97783
DB-24SSR/D/DIN	DB-24SSR/D with DIN-Rail Mounting Kit	97783
DB-24SSRDC	24-channel OPTO-22 compatible Solid-State Relay Output Board Include : CA-5015 (50-pin Flat Cable 1.5 m)	91805
DB-24SSRDC/D	24-channel Solid-State Relay Output Board Include : CA-3710 (37-pin D-sub Cable 1 m)	91805
DB-12SSR	12-channel Solid State Relay Output Board with 1.5 meter 50-pin flat cable Include : CA-5015 (50-pin Flat Cable 1.5m)	76860
DB-12SSR/D	12-channel Solid State Relay Output Board with 1 meter D-Sub 37-pin cable Include : CA-3710 (37-pin D-sub Cable 1m)	76860
DB-12SSR/DIN	DB-12SSR with DIN-Rail Mounting Kit	78568
DB-12SSR/D/DIN	DB-12SSR/D with DIN-Rail Mounting Kit	78568

DB-889D	16 Channel Multiplexer and Signal Conditioning Board for A-82X series Board Include :CA-3710 : 37-pin D-sub Connector Cable 1m CA-2010 : 20-pin Flat Cable 1m	51240
DN-8K32R CR	32-channel relay output board Include : CA-3705A (37 Pin Male-Female D-sub cable 0.5M)	46970
DN-8K16P16R CR		40138
DN-09-2	I/O Connector Block with DIN-Rail Mounting and two 9-pin Male Header Include : CA-0915 x 2(9-pin D-sub Cable 1.5m)	10675
DN-09-2F	I/O Connector Block with DIN-Rail Mounting and two 9-pin Male Header Includes : CA-0910F x 2 (9-pin Female-Female D-sub Cable 1.0m)	10675
DN-20 CR	I/O Connector Block with DIN-Rail Mounting and two 20-pin Header Include :CA-2010(20-pin Flat Cable 1m)	11743
DN-20/N CR	DN-20 without DIN-Rail Mount	10803
DN-20-381	I/O Connector Block with DIN-Rail Mounting and two 20-pin Header Include : CA-2010(20-pin Flat Cable 1m)	9821
DN-20M CR	Manual-Pulsar-Generator (MPG) and FRnet Input Board for PISO-PS600/VS600/PMDK	18318
DN-25 CR	I/O Connector Block with DIN-Rail Mounting,25/9 pin D-sub Connector Include :CA-0920(9-pin D-sub Cable 2.0m) CA-2520(25-pin D-sub Cable 2.0m)	11743
DN-25/N CR	DN-25 without DIN-Rail Mount	10803
DN-37 CR	I/O Connector Block (Pitch= 5.08 mm) with DIN-Rail Mounting and Male-Male Dsub 1 M Cable(45°) Include :CA-3710(37-pin D-sub cable 1.0m)	15030
DN-37/2 CR	I/O Connector Block (Pitch= 5.08 mm) with DIN-Rail Mounting and Male-Male Dsub 2 M Cable(45°) Include :CA-3720(37-pin D-sub cable 1.0m)	15970
DN-37/N CR	DN-37 without DIN-Rail Mount	14091
DN-37-A CR	I/O Connector Block (Pitch= 5.08 mm) with DIN-Rail Mounting and DN-37 Male-Female D-sub Cable 1M Cable(45°) (RoHS)	15030
DN-37/N-A CR	DN-37-A without DIN-Rail Mount (RoHS)	14091
DN-37-381 CR	I/O Connector Block (Pitch=3.81 mm) with DIN-Rail Mountingand Male-Male D-sub 1 M Cable (45°) (RoHS) Include :CA-3710(37-pin D-sub cable 1.0m)	14518
DN-37-381-A CR	I/O Connector Block (Pitch= 3.81 mm) with DIN-Rail Mountingand DN-37 Male-Female D-sub Cable 1M Cable(45°) (RoHS)	15030
DN-50 CR	I/O Connector Block with DIN-Rail Mounting and 50-pin Header Include :CA-5015(50-pin Flat Cable 1.5m) RoHS	12810
DN-50/N CR	DN-50 without DIN-Rail Mount RoHS	11956
DN-50-381	I/O Connector Block with DIN-Rail Mounting and 50-pin Header Include :CA-5015(50-pin Flat Cable 1.5m)	10248
DN-100 CR	I/O Connector Block (Pitch= 381 mm) with DIN-Rail Mounting and 100-pin SCSI II female connector (RoHS)	19642
DN-100-CA CR	I/O Connector Block (Pitch= 381 mm) with DIN-Rail Mounting and 100-pin SCSI II female connector (RoHS)Include one CA-SCSI100-15 (SCSI II 100-pin & 100-pin Male connector cable 1.5 M)	52948
CA-SCSI100-15	SCSI II 100-pin & 100-pin Male connector cable 1.5 M	35868